

CENTRI®

A Fillauer Company

DYNAMIC WALK



NEW!

The entire range of Dynamic Walk drop foot orthosis warranty will be extended from a six month to a **one year warranty** from the date of delivery for defects in workmanship and materials.

Recommended for
Peroneal Paralysis patients

DYNAMIC WALK

Dynamic foot lifter AFO

All information applies to both Dynamic Walk Standard & Dynamic Walk Wide Ankle.

Dynamic walk is a dynamic foot lifter AFO made of a lightweight carbon fibre composite with double and single sided PEEK rods that provides high strength and flexibility. This allows you to drive and climb stairs since it provides a stable free movement and constant lifting of the foot. The open heel construction allows for natural foot movement and together with a slim foot design fits easily into normal shoes.

Recommended for patients with:

Peroneal Paralysis.


(Not recommended for patients with contractures)

Features

- Light weight
- Open Heel
- Fits easily into normal shoes
- High Strength
- Flexible
- Allows for everyday activities
- Dynamic movement



WIDE ANKLE



The wide ankle is wider between the PEEK rods than Dynamic Walk Standard. The measure is taken at the distal end of the PEEK insertion.

Design:

Double sided dynamic rods.
Open heel.
Slim foot (fits easily into shoe).
Flexible calf band.

Materials:

Thermoplastic Carbon Fiber.
PEEK rods.

Reshaping:

Spot heat the Carbon Fiber with a heat gun up to 120 degrees (higher temperatures will cause delamination)
Do not heat and reshape the PEEK rods and the area where the PEEK attaches to the carbon fiber

Padding:

Washable.
Lycra & Polyether.
Can be bought separately.

Warranty:

12 months **NEW!!**

Shoe selection:

Laced with a firm heel.
Removable insole.





ORDERING INFORMATION





DYNAMIC WALK STANDARD

Ordering Information - Dynamic Walk Standard				
When ordering please note that you can choose with or without padding:				
Product number	XXX XXX	X	X	X
Dynamic Walk	700 111			
Without padding		1		
With padding		2		
Small			2	
Medium			4	
Large			6	
Left				1
Right				2
Padding Only - Small	700 100 220			
Padding Only - Medium	700 100 240			
Padding Only - Large	700 100 260			
Example: Dynamic Walk, with padding, medium and left = 700 111 241				

DYNAMIC WALK WIDE ANKLE

Ordering Information - Dynamic Walk Wide Ankle				
When ordering please note that you can choose with or without padding:				
Product number	XXX XXX	X	X	X
Dynamic Walk	700 111			
Without padding		3		
With padding		4		
Small			2	
Medium			4	
Large			6	
Left				1
Right				2
Padding Only - Small	700 100 220			
Padding Only - Medium	700 100 240			
Padding Only - Large	700 100 260			
Example: Dynamic Walk, with padding, medium and left = 700 111 441				

MEASUREMENT CHART - in millimeters Dynamic Walk Standard				
				
	Length	Height	Width	Weight
SMALL	230	320	67,5	105 g
MEDIUM	250	340	72,5	122 g
LARGE	270	370	80,5	140 g

MEASUREMENT CHART - in millimeters Dynamic Walk Wide Ankle				
				
	Length	Height	Width	Weight
SMALL	230	320	72,5	106 g
MEDIUM	250	340	80,5	123 g
LARGE	270	370	88,5	142 g

ORDERING INFORMATION

DYNAMIC WALK SINGLE SIDE



Special features for Single Side:

- Easy donning and doffing
- Fits easily into normal / narrow shoes
- Choose between PEEK rods on medial or lateral side
- Same as Dynamic Walk standard and wide ankle

Ordering Information - Dynamic Walk Single Side

When ordering please note that you can choose with or without padding:

Product number	XXX XXX	X	X	X
Dynamic Walk, PEEK medial	700 113			
Dynamic Walk, PEEK lateral	700 114			
Without padding		1		
With padding		2		
Small			2	
Medium			4	
Large			6	
Left				1
Right				2

Example:
Dynamic Walk, with padding, PEEK on the medial side, medium and left = 700 113 241

US patent ,No: 7,766,851
Swedish patent, No: 531 069
EP patent application pending, No: 07747946.7



MEASUREMENT CHART - in millimeters Dynamic Walk Single Side

	Length	Height	Weight
SMALL	230	340	103 g
MEDIUM	250	370	120 g
LARGE	270	385	140 g

Padding only	Lateral	Medial
Small left	700 100 321	700 100 322
Small right	700 100 322	700 100 321
Medium left	700 100 341	700 100 342
Medium right	700 100 342	700 100 341
Large left	700 100 361	700 100 362
Large right	700 100 362	700 100 361

CENTRI®

A Fillauer Company